

ACCESSORIES

Soudal Swipex



DESCRIPTION

- Swipex are solvent based **cleaning wipes** for uncured sealants & adhesives.
- Non woven wipes impregnated with a mixture of solvents, biodegradable non-ionic surfactants and skin emollients
- Suitable for all non-porous surfaces

APPLICATION

- For hands and tools
- Cleans uncured sealant
- Removes oil, adhesive, etc...

Soudal Gun & Foam Cleaner




- Soudal Gun & Foam Cleaner is a **solvent cleaner** specifically designed for cleaning of uncured PU foam.

- For hands and tools
- Cleans uncured PU foam


Guns




- Soudal Contractor Grade Heavy Duty Caulking Gun, 10 oz Cartridge



- Soudal Designer Gun 22" is a 22" long top of the line metal gun foam applicator



- Soudal Skeleton Gun, 10 oz Cartridge



- Soudal Designer Gun is a top of the line metal gun foam applicator



- Soudal Compact Gun is a plastic gun foam applicator



- Soudal Designer Gun 40" is a 40" long top of the line metal gun foam applicator

Distributed by: **Soudal** • 350 Ring Road, Elizabethtown, KY 42701 • [info@soudalusa.com](mailto:info@soudalusa.com) • 877-873-8739 • [www.soudalusa.com](http://www.soudalusa.com)



EXPERTS IN SEALANTS,  
ADHESIVES & PU FOAMS

PROFESSIONAL CONSTRUCTION **USA**

**Soudal**  
350 Ring Road  
Elizabethtown, KY 42701  
[www.soudalusa.com](http://www.soudalusa.com)  
[info@soudalusa.com](mailto:info@soudalusa.com)



LATEX ACRYLICS

Soudacryl  
C920 Flex

Soudacryl  
LTX 1

Soudacryl  
LTX 2

Soudacryl  
LTX 3

Soudacryl  
C834

Soudacryl  
Acoustical



NEW

Soudatight Hybrid

Soudatight Hybrid is a high-quality hybrid polymer paste which, after curing, forms a seamless, air and watertight elastic membrane. Soudatight Hybrid has been developed for use in façade applications.

DESCRIPTION

- Driving rain tight
- Airtight
- Vapor permeable
- For outdoor use (indoor use also possible)
- Stays elastic after curing and very durable
- Forms a seamless membrane
- Good adhesion on slightly moist substrates
- Good adhesion on slightly dusty substrates
- Can be painted, plastered or taped after drying
- Free of solvents and isocyanate
- EC-1 PLUS label: very low emission

APPLICATION

- For air- and watertight finishing of above- ground:
- Rough openings
  - Penetration seals
  - Connections
  - Surfaces (no roof applications)
  - Window connections

PACKAGING

- 20 fl. oz. sausage
- 1.03 Gallon pail

COLOR

- Grey



DESCRIPTION

- Soudacryl C920 is a premium grade, **flexible elastomeric sealant**.
- Paintable
- Very smooth formula
- Handles up to 5 freeze-thaw cycles
- Easy clean-up with water
- Low odor
- VOC compliant
- **Mildew resistant**
- Excellent adhesion to wood, masonry, brick, concrete, drywall, metal, glass & many more
- Meets ASTM C-920

- Soudacryl LTX 1 is a premium mildew resistant and paintable **siliconized acrylic latex caulk**.
- **30-Year\*\***
- Paintable
- Very smooth formula
- Handles up to 5 freeze-thaw cycles
- Easy clean-up with water
- Low odor
- VOC compliant
- **Mildew resistant**
- Excellent adhesion to wood, masonry, brick, concrete, drywall, metal, glass & many more
- Meets ASTM C-834

- Soudacryl LTX 2 is a high quality **painters acrylic latex caulk**.
- **30-Year\*\***
- Paintable
- Very smooth formula
- Handles up to 5 freeze-thaw cycles
- Easy clean-up with water
- Low odor
- VOC compliant
- Excellent adhesion to wood, masonry, brick, concrete, drywall, & many more

- Soudacryl LTX 3 is a high quality **acrylic latex caulk**.
- **20-Year\*\***
- Paintable
- Very smooth formula
- Handles up to 5 freeze-thaw cycles
- Easy clean-up with water
- Low odor
- VOC compliant
- Excellent adhesion to wood, masonry, brick, concrete, drywall, & many more

- Soudacryl C834 is a professional grade **siliconized acrylic latex**.
- Paintable
- Very smooth formula
- Handles up to 5 freeze-thaw cycles
- Easy clean-up with water
- Low odor
- VOC compliant
- **Mildew resistant**
- Excellent adhesion to wood, masonry, brick, concrete, drywall, metal, glass & many more
- Meets ASTM C-834

- Soudacryl Acoustical Smoke & Sound is a professional grade **acrylic sound sealant**.
- Paintable
- Very smooth formula
- Handles up to 5 freeze-thaw cycles
- Easy clean-up with water
- Low odor
- VOC compliant
- Excellent adhesion to wood, masonry, brick, concrete, drywall, & many more
- Non-Flammable
- Meets STC requirements (Sound Transmission Class)

Soudasil Glaze

Soudasil Glaze is a high performance 100% neutral cure silicone sealant ideally suited for all window and door applications. It offers primerless adhesion to vinyl, wood, glass, aluminum and most other commonly used construction surfaces.

DESCRIPTION

- VOC Compliant
- Low Odor
- Excellent Backbedding Sealant
- Primerless adhesion on glass, vinyl, wood, aluminum, and many more
- Stays fully elastic after curing

APPLICATION

- Building and Construction Joints
- Top Sealaing of Glazing Joints
- Joints with high movment between different building materials.
- Sealing between treated wood, metal, PVC profiles, and glass

PACKAGING

- 10.1 fl. oz. cartridge
- 20 fl. oz. sausage

COLOR

- Anodized Aluminum, Antique White, Clear, Black, Bronze, Grey, Limestone, White, Window Bronze



APPLICATION

- Weathertight sealing
- Window & door installs
- Kitchen & Bathrooms
- Crown molding
- Baseboards
- Trim

- Window & door frames
- Kitchen & bathroom
- Trims
- Molding

- Wall cracks
- Trims
- Baseboards
- Corner joints

- Low movement joints
- Trims
- Wall cracks
- Baseboards

- Moderate movement joints
- Window & door frames
- Kitchen & Bathrooms
- Crown molding

- Sealing of wall partitions
- Ceiling runners
- Cut-outs in gypsum boards
- Veneer plaster systems

PACKAGING\*

- 10.1 fl. oz. cartridge

- 10.1 fl. oz. cartridge

- 10.1 fl. oz. cartridge

- 10.1 fl. oz. cartridge

- 4.5 Gallon pail

- 29 fl. oz. cartridge
- 20 fl. oz. sausage
- 5 Gallon pail

COLORS\*

- Clear, White

- White, Clear, Bronze, Cedar, Brown, Almond, Grey

- White

- White

- White

- White

Soudabond Power Spray

Soudabond Power Spray USA is a ready-to-use, strong and fast contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol.

DESCRIPTION

- Universal use
- Complies to Prop. 65
- Complies to CARB VOC
- Short evaporation time
- Fast strength build-up.
- Ready to use and very user-friendly
- Dichloromethane (DCM) free
- Fast drying process.
- Good adhesion to many materials
- Fast hand tight bond.

APPLICATION















- For bonding a broad range of materials
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber.
- Suitable for bonding of low energy surfaces.


















\* Some colors / other packaging may be subject to minimum order quantities and lead times \*\* Refer to Technical Data Sheet for Product Replacement Policy





PU SEALANT		SMX® HYBRID POLYMER SEALANTS						SILICONE SEALANTS						
Soudaflex PU35		Soudaseal AP	Soudaseal 50LM	Soudaseal FC	Soudaseal SL	Soudaseal CL	Soudaseal MB	Acryrub Firestop	Acryrub Fireblock	Soudasil N1	Soudasil RTV1	Soudasil RTV2	Soudasil RTV3	Soudasil HT1
														
<b>DESCRIPTION</b> <ul style="list-style-type: none"> <li>Soudaflex PU35 is a one component, medium-low modulus, <b>polyurethane sealant</b>.</li> <li>Paintable</li> <li>Easy application</li> <li>Movement capability of +/- 35%</li> <li>Excellent adhesion to concrete, masonry, wood, metals, &amp; many more</li> <li>Good weather and UV resistance</li> </ul>		<ul style="list-style-type: none"> <li>Soudaseal AP is an <b>all purpose SMX® hybrid sealant &amp; adhesive</b> with +/- 35% movement capabilities.</li> <li>New generation sealant / adhesive</li> <li>Paintable (no need to wait until full cure before painting)</li> <li>No solvents / isocyanates (no shrinkage)</li> <li>Low odor</li> <li>Even adheres to moist substrates</li> <li>No bubbling</li> <li>Plastic cartridge</li> <li>UV stable (no discoloring)</li> <li>AAMA compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudaseal 50LM is a low modulus +/- <b>50% movement SMX® hybrid sealant</b>.</li> <li>New generation sealant / adhesive</li> <li>Paintable (no need to wait until full cure before painting)</li> <li>No solvents / isocyanates (no shrinkage)</li> <li>Low odor</li> <li>Even adheres to moist substrates</li> <li>No bubbling</li> <li>Plastic cartridge</li> <li>UV stable (no discoloring)</li> <li>AAMA compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudaseal FC is a <b>fast cure / quick grab SMX® hybrid adhesive / sealant</b> with exceptional green strength and +/- 25% movement capabilities.</li> <li>New generation sealant / adhesive</li> <li>Paintable (no need to wait until full cure before painting)</li> <li>No solvents / isocyanates (no shrinkage)</li> <li>Low odor</li> <li>Even adheres to moist substrates</li> <li>No bubbling</li> <li>Plastic cartridge</li> <li>UV stable (no discoloring)</li> </ul>	<ul style="list-style-type: none"> <li>Soudaseal SL is a <b>self leveling SMX® hybrid sealant</b> with +/- 50% movement capabilities for horizontal expansion joints.</li> <li>New generation sealant / adhesive</li> <li>Paintable (no need to wait until full cure before painting)</li> <li>No solvents / isocyanates (no shrinkage)</li> <li>Low odor</li> <li>Even adheres to moist substrates</li> <li>No bubbling</li> <li>Plastic cartridge</li> <li>UV stable (no discoloring)</li> </ul>	<ul style="list-style-type: none"> <li>Soudaseal CL is a <b>crystal clear SMX® hybrid adhesive / sealant</b> with +/- 25% movement capabilities.</li> <li>New generation sealant / adhesive</li> <li>Paintable (no need to wait until full cure before painting)</li> <li>No solvents / isocyanates (no shrinkage)</li> <li>Low odor</li> <li>Even adheres to moist substrates</li> <li>No bubbling</li> <li>Plastic cartridge</li> <li>UV stable</li> <li>Crystal clear bonding</li> </ul>	<ul style="list-style-type: none"> <li>Soudaseal MB is a <b>high modulus SMX® hybrid polymer sealant &amp; adhesive</b> for high performance <b>metal duct sealing</b> applications.</li> <li>New generation sealant / adhesive</li> <li>Paintable (no need to wait until full cure before painting)</li> <li>No solvents / isocyanates (no shrinkage)</li> <li>Low odor</li> <li>Even adheres to moist substrates</li> <li>No bubbling</li> <li>Plastic cartridge</li> </ul>	<ul style="list-style-type: none"> <li>Acryrub Firestop is a UL Classified fire, smoke and draft <b>intumescent caulk</b> formulated using inorganic materials.</li> <li>In case of fire, forms a flexible shield preventing the spread of fire, smoke and toxic gases through construction openings</li> <li>Remains flexible when cured</li> <li>Excellent adhesion properties</li> <li>Clean-up with water</li> <li>Service temp: -20°F –185°F</li> <li>VOC compliant</li> <li>Both interior and exterior applications</li> <li>Meets ASTM E-814 (UL1479)</li> </ul>	<ul style="list-style-type: none"> <li>Acryrub Fireblock is a fire, smoke and <b>draftstop sealant</b> formulated using noncombustible, inorganic materials.</li> <li>Prevents the spread of fire, smoke and toxic gases through construction openings</li> <li>Excellent adhesion properties</li> <li>Easy clean-up with water</li> <li>Service temp: -20°F –800°F</li> <li>VOC compliant</li> <li>Interior applications only</li> <li>Meets ASTM E-136</li> </ul>	<ul style="list-style-type: none"> <li>Soudasil N1 is a premium grade <b>100% neutral cure silicone</b>.</li> <li>Permanently flexible</li> <li>Easy to apply</li> <li>Excellent adhesion to glass, vinyl, wood, aluminum &amp; many more</li> <li>Low odor</li> <li>UV resistant</li> <li>No shrinkage</li> <li>AAMA compliant</li> <li>VOC compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudasil RTV1 is a top of the line food grade <b>100% RTV silicone</b>.</li> <li>Permanently flexible</li> <li>Easy to apply</li> <li>Excellent adhesion to glass, ceramic, porcelain, metals, wood &amp; many more</li> <li>UV resistant</li> <li>No shrinkage</li> <li>NSF/FDA compliant</li> <li>VOC compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudasil RTV2 is a general purpose, mildew resistant <b>100% RTV silicone</b>.</li> <li>Permanently flexible</li> <li>Easy to apply</li> <li>Excellent adhesion to glass, ceramic, porcelain, metals, wood &amp; many more</li> <li>Mildew resistant</li> <li>UV resistant</li> <li>VOC compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudasil RTV3 is a top of the line construction <b>100% RTV silicone</b>.</li> <li>Permanently flexible</li> <li>Easy to apply</li> <li>Excellent adhesion to glass, ceramic, porcelain, metals, wood &amp; many more</li> <li>UV resistant</li> <li>No shrinkage</li> <li>Mildew resistant</li> <li>VOC compliant</li> </ul>	<ul style="list-style-type: none"> <li>Soudasil HT1 is a <b>100% high temp RTV silicone</b>.</li> <li>Permanently flexible</li> <li>Easy to apply</li> <li>Red colored silicone</li> <li>UV resistant</li> <li>No shrinkage</li> <li>Resist temperatures up to 500°F</li> <li>VOC compliant</li> </ul>
<b>APPLICATION</b> <ul style="list-style-type: none"> <li>Large movement joints</li> <li>Expansion joints in concrete floors</li> <li>Building &amp; construction joints</li> </ul>		<ul style="list-style-type: none"> <li>Windows &amp; doors</li> <li>Roofing &amp; siding</li> <li>Concrete &amp; masonry</li> <li>General construction</li> </ul>	<ul style="list-style-type: none"> <li>High movement joints</li> <li>Window &amp; door perimeters</li> <li>Bay &amp; bow mullions</li> <li>Architectural construction</li> </ul>	<ul style="list-style-type: none"> <li>Structural construction</li> <li>Trailer &amp; vehicle assembly</li> <li>Bonding applications in vibrating constructions</li> </ul>	<ul style="list-style-type: none"> <li>Driveways &amp; walkways</li> <li>Pool expansion joints</li> <li>Concrete joints</li> <li>Decks</li> </ul>	<ul style="list-style-type: none"> <li>Interior glass</li> <li>Bathroom &amp; kitchen</li> </ul>	<ul style="list-style-type: none"> <li>Metal ducts</li> <li>Full surface bonding</li> </ul>	<ul style="list-style-type: none"> <li>Wall &amp; floor penetrations</li> <li>Construction openings</li> </ul>	<ul style="list-style-type: none"> <li>Wall &amp; floor penetrations</li> <li>Interior voids</li> <li>Construction openings</li> </ul>	<ul style="list-style-type: none"> <li>Glazing (backbedding)</li> <li>Windows &amp; doors</li> <li>Building &amp; construction joints</li> </ul>	<ul style="list-style-type: none"> <li>Food industry</li> <li>Heating, cooling &amp; refrigeration</li> </ul>	<ul style="list-style-type: none"> <li>Kitchen &amp; bathroom</li> <li>Transport &amp; Industry</li> <li>Building &amp; construction</li> <li>Sealing of glass to glass</li> </ul>	<ul style="list-style-type: none"> <li>Kitchen &amp; bathroom</li> <li>Transport &amp; Industry</li> <li>Building &amp; construction</li> <li>Sealing of glass to glass</li> </ul>	<ul style="list-style-type: none"> <li>HVAC/R</li> <li>Heating elements</li> <li>Duct work</li> <li>Vents &amp; pipes</li> </ul>
<b>PACKAGING*</b> <ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>		<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> <li>20 fl. oz. sausage</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> <li>20 fl. oz. sausage</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> <li>20 fl. oz. sausage</li> </ul>	<ul style="list-style-type: none"> <li>29 fl. oz. cartridge</li> <li>20 fl. oz. sausage</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> <li>20 fl. oz. sausage</li> </ul>	<ul style="list-style-type: none"> <li>1 Gallon pail</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> <li>20 fl. oz. sausage</li> <li>4.5 gallon pail</li> <li>52 gallon drum</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> <li>8.1 fl. oz. pressure can</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>	<ul style="list-style-type: none"> <li>10.1 fl. oz. cartridge</li> </ul>
<b>COLORS*</b> <ul style="list-style-type: none"> <li>White, Off White, Tan, Stone, Limestone, Gray, Aluminum Gray, Hunter Green, Medium Bronze, Special Bronze, Black, Redwood Tan</li> </ul>		<ul style="list-style-type: none"> <li>White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green</li> </ul>	<ul style="list-style-type: none"> <li>White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green</li> </ul>	<ul style="list-style-type: none"> <li>White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green</li> </ul>	<ul style="list-style-type: none"> <li>White, Off White, Tan, Stone, Limestone, Aluminum Gray, Gray, Medium Bronze, Special Bronze, Black, Redwood, Hunter Green</li> </ul>	<ul style="list-style-type: none"> <li>Crystal clear</li> </ul>	<ul style="list-style-type: none"> <li>Gray</li> </ul>	<ul style="list-style-type: none"> <li>Red</li> </ul>	<ul style="list-style-type: none"> <li>Red</li> </ul>	<ul style="list-style-type: none"> <li>Clear, White</li> </ul>	<ul style="list-style-type: none"> <li>Clear, White</li> </ul>	<ul style="list-style-type: none"> <li>Clear, White, Aluminum, Black, Transwhite, Almond</li> </ul>	<ul style="list-style-type: none"> <li>Clear, White, Aluminum, Black, Transwhite, Almond</li> </ul>	<ul style="list-style-type: none"> <li>Red</li> </ul>

\* Some colors / other packaging may be subject to minimum order quantities and lead times

PU FOAMS							PU FOAMS					PU ADHESIVE		
Soudafoam Black Gun Foam	Soudafoam Flex Gun Foam	Soudafoam All Season Gun Foam	Soudafoam Door & Window Straw Foam	Soudafoam Door & Window Genius Gun**	Soudafoam Door & Window Gun Foam	Soudafoam Fireblock Straw Foam	Soudafoam Fireblock Genius Gun**	Soudafoam Fireblock Gun Foam	Soudafoam Gap Fill Straw Foam	Soudafoam Gap Fill Genius Gun**	Soudafoam Gap Fill Gun Foam	Soudabond Easy Genius Gun**	Soudabond Easy Gun Foam	Soudabond Subfloor Gun Foam
														
<b>DESCRIPTION</b> <ul style="list-style-type: none"> <li>Soudafoam Black is a <b>minimal expansion</b>, one component, moisture cure PU foam. <ul style="list-style-type: none"> <li>Black in color</li> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Flex is a unique, <b>flexible</b>, minimal expansion, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Very high elastic recovery (up to 90% if compressed by 75%)</li> <li>Easy application</li> <li>Gunable in all seasons (-13°F to 120°F) with a can temperature of 40°F to 95°F</li> <li>Minimal expansion</li> <li><b>2 year shelf life</b></li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Storage in all positions</li> <li>AAMA compliant</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam All Season is a top of the line, <b>minimal expansion</b>, one component, moisture curing PU foam for use in <b>extreme climates</b>. <ul style="list-style-type: none"> <li>Extreme weather formulation</li> <li>Gunable in all seasons (-13°F to 120°F) with a can temperature of 40°F to 95°F</li> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>AAMA compliant</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Door &amp; Window is a <b>minimal expansion</b>, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>AAMA compliant</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Door &amp; Window is a <b>minimal expansion</b>, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Integrated gun system</li> <li><b>Reusable</b></li> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>AAMA compliant</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Door &amp; Window is a <b>minimal expansion</b>, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Minimal expansion</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>AAMA compliant</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Fireblock is a <b>fireblock approved</b>, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Orange fireblock foam</li> <li>Expanding Foam</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Tested according to ASTM E814 (modified)</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Fireblock is a <b>fireblock approved</b>, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Integrated gun system</li> <li><b>Reusable</b></li> <li>Orange fireblock foam</li> <li>Expanding Foam</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Tested according to ASTM E814 (modified)</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Fireblock is a <b>fireblock approved</b>, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Orange fireblock foam</li> <li>Expanding Foam</li> <li>Easy application</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> <li>Tested according to ASTM E814 (modified)</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Gap Fill is a <b>gap filling</b>, high expansion, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>High expansion</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Gap Fill is a <b>gap filling</b>, high expansion, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Integrated gun system</li> <li><b>Reusable</b></li> <li>Easy application</li> <li>High expansion</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudafoam Gap Fill is a <b>gap filling</b>, high expansion, one component, moisture curing PU foam. <ul style="list-style-type: none"> <li>Easy application</li> <li>High expansion</li> <li>Excellent adhesion to almost all substrates</li> <li>Excellent thermal and acoustical insulation</li> <li>No shrinkage</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudabond Easy is a fast curing, ready to use, one component, <b>PU adhesive</b>. <ul style="list-style-type: none"> <li>Integrated gun system</li> <li><b>Reusable</b></li> <li>Easy application</li> <li>Time &amp; money saving</li> <li>Excellent adhesion to almost all substrates</li> <li>Fast cure</li> <li>High initial grip</li> <li>Even adheres to moist surfaces</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudabond Easy is a fast curing, ready to use, one component, <b>gunnable PU adhesive</b>. <ul style="list-style-type: none"> <li>Easy application</li> <li>Time &amp; money saving</li> <li>Excellent adhesion to almost all substrates</li> <li>Fast cure</li> <li>High initial grip</li> <li>Even adheres to moist surfaces</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Soudabond Subfloor is a high strength, fast curing <b>gunnable PU adhesive</b> foam that collapses to a gel adhesive immediately after application. <ul style="list-style-type: none"> <li>Time &amp; money saving</li> <li>Excellent adhesion to almost all substrates</li> <li>Fast cure</li> <li>Protects against squeaks</li> <li>Even adheres to moist surfaces</li> <li>Meets ASTM D3498</li> </ul> </li> </ul>
<b>APPLICATION</b> <ul style="list-style-type: none"> <li>RV industry</li> <li>Pond &amp; Stone</li> <li>Pest Control</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Window &amp; Door installs</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Penetrations between floors &amp; walls</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Penetrations between floors &amp; walls</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Penetrations between floors &amp; walls</li> <li>Insulating wall panels</li> <li>Electrical outlets</li> <li>Pipes &amp; vents</li> </ul>	<ul style="list-style-type: none"> <li>Filling of cavities</li> <li>Sealing of large openings &amp; gaps</li> <li>Installation of HV/AC units</li> <li>Pest control</li> </ul>	<ul style="list-style-type: none"> <li>Filling of cavities</li> <li>Sealing of large openings &amp; gaps</li> <li>Installation of HV/AC units</li> <li>Pest control</li> </ul>	<ul style="list-style-type: none"> <li>Filling of cavities</li> <li>Sealing of large openings &amp; gaps</li> <li>Installation of HV/AC units</li> <li>Pest control</li> </ul>	<ul style="list-style-type: none"> <li>Bonding of foam boards</li> <li>Drywall adhesive</li> <li>Insulating roof panels</li> <li>Gluing decorative elements</li> </ul>	<ul style="list-style-type: none"> <li>Bonding of foam boards</li> <li>Drywall adhesive</li> <li>Insulating roof panels</li> <li>Gluing decorative elements</li> </ul>	<ul style="list-style-type: none"> <li>Bonding of subfloors</li> <li>Wood to wood assemblies</li> <li>Filling small gaps &amp; cracks</li> </ul>
<b>PACKAGING*</b> <ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>12 oz. aerosol can <b>Straw Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>20 oz. aerosol can <b>Genius Gun</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>12 oz. aerosol can <b>Straw Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>20 oz. aerosol can <b>Genius Gun</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>12 oz. aerosol can <b>Straw Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>20 oz. aerosol can <b>Genius Gun</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>20 oz. aerosol can <b>Genius Gun</b></li> </ul>	<ul style="list-style-type: none"> <li>24 oz. aerosol can <b>Gun Foam</b></li> </ul>	<ul style="list-style-type: none"> <li>29 oz. aerosol can <b>Gun Foam</b></li> </ul>
<b>COLORS*</b> <ul style="list-style-type: none"> <li>Black</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Orange</li> </ul>	<ul style="list-style-type: none"> <li>Orange</li> </ul>	<ul style="list-style-type: none"> <li>Orange</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>	<ul style="list-style-type: none"> <li>Champagne</li> </ul>

\* Some colors / other packaging may be subject to minimum order quantities and lead times      \*\* Manufactured under Patent No. 10106309

