

Safety Data Sheet

SOUDAL Soudasil NAB / Silirub NAB

Section 1. Identification

Product Identifier SOUDAL Soudasil NAB / Silirub NAB

Synonyms 371520 Manufacturer Stock 79369WH10

Numbers

Recommended use Refer to Technical Information
Uses advised against Refer to Technical Information

Manufacturer Contact

Address Soudal Accumetric

350 Ring RD

Elizabethtown, KY, 42701

USA

Phone Emergency Phone Fax

(270) 769-3385 (800) 424-9300 (270) 765-2412

CHEMTREC

Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2A

HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD -

Category 3

SENSITIZATION - SKIN - Category 1

SPECIFIC TARGET ORGAN TOXICITY (Repeated Exposure) - Category 2

Signal Word Pictogram





Hazard Statements Causes serious eye irritation

Harmful to aquatic life with long lasting effects

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements

Response Get medical advice/attention if you feel unwell.

If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Read label before use.

Wash contaminated clothing before reuse.

Prevention Avoid breathing dust/fume/gas/mist/ vapors/spray.

Avoid release to the environment

Contaminated work clothing must not be allowed out of the workplace.

Do not breathe dust/fume/gas/mist/ vapors/spray.

Wash hands thoroughly after handling. Wear eye protection/face protection.

Wear protective gloves.

Storage N/A

Disposal Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

Additional Information None known

Section 3. Ingredients

CAS	Ingredient Name	Weight %
22984-54-9	Methyl Oximino Silane	1% - 5%
13822-56-5	3-(trimethoxysilyl)propylamine	1% - 5%
2224-33-1	Vinyl Oximino Silane	1% - 5%
63148-62-9	Dimethylpolysiloxane	10% - 30%
112945-52-5	Amorphous fumed silica	5% - 10%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Comments Treat according to person's condition and specifics of exposure.

Ingestion No first aid should be needed.

Inhalation Remove to fresh air. No first aid should be needed.

Skin Contact Remove from skin and wash thoroughly with soap and water or waterless

cleanser. Get medical attention if irritation or other ill effects develop or persist.

Eye Contact Immediately flush with water for 15 minutes. Seek medical attention.

Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

On large fires use dry chemical, foam, or water spray. On small fires use carbon dioxide, dry chemical or water spray. Water can be used to cool fire

exposed containers.

Unsuitable Extinguishing

Media

None known

Auto-ignition Temperature Flammability Limits in Air

Not determined Not determined

Special Fire Fighting **Procedures**

Self-contained breathing apparatus and protective clothing should be worn when fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual Fire or Explosion None known

Hazards

Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. For small spills, wipe up or scrape up and contain for salvage or disposal. Clean area as appropriate since spilled material, even in small quantities, may present a slip hazard. Final cleaning may require the use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

Section 7. Handling and Storage

Handling Avoid eye contact. Avoid skin contact. Avoid breathing vapor. Keep container

closed. Do not take internally. Use reasonable care.

Storage Keep container closed and store in a cool, well ventilated area, away from

water or moisture.

Other Precautions Product evolves methyl ethyl ketoxime (MEKO) when exposed to water or

humid air. Provide ventilation during use to control MEKO within the exposure

guidelines or use respiratory protection.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

ACGIH ILV	OSHA PEL	SIEL
N/A	N/A	N/A
10 mg/m3	6 mg/m3	N/A
	N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A

Personal Protective Equipment

Goggles, Gloves

Eye Protection
Skin Protection

Safety goggles or glasses with side shields are recommended. Wash at mealtimes and end of shift. Contaminated clothing and shoes

should be removed as soon as practical and thoroughly cleaned before reuse. Chemical protective gloves are recommended.

Suitable Gloves: Silver Shield® 4H®

Respiratory protection Precautionary Measures No respiratory protection should be needed with good local ventilation. Avoid eye contact. Avoid skin contact. Avoid breathing vapor. Keep container

closed. Do not take internally. Use reasonable care.

Comment

Product evolves methyl ethyl ketoxime (MEKO) when exposed to water or humid air. Provide ventilation during use to control methyl ethyl ketoxime

within the exposure guidelines or use respiratory protection.

Note

These precautions are for room temperature handling. Use at elevated temperatures or aerosol/spray applications may require added precautions. For further information regarding aerosol inhalation toxicity, please refer to the guidance document regarding the use of silicone-based materials in aerosol

applications that has been developed by the silicone industry

(www.SEHSC.com).

Section 9. Physical and Chemical Properties

Dhusiaal Otata	Danta
Physical State	Paste
Color	Refer to
	product label
Odor	Slight
Odor Threshold	N/A
Solubility	Negligible in
·	water
Partition coefficient Water/n-octanol	N/A
VOC%	2.8%
Viscosity	Not
	applicable
Specific Gravity	1.08
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A

Flash Point	Not
	Applicable
FP Method	N/A
Ph	Not
	applicable
Melting Point	Not
	applicable
Boiling Point	Not
	applicable
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	Not
	applicable
Vapor Density	Not
	applicable

Note The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

Section 10. Stability and Reactivity

Materials to Avoid / Oxidizing material can cause a reaction. Water, moisture or humid air can

Incompatibility cause hazardous vapors to form as described in Section 8.

Conditions to Avoid None known
Hazardous polymerization Will not occur

Chemical Stability Stable

Section 11. Toxicological Information

Special Hazard Information Methyl Oximino Silane (22984-54-9) Possible skin sensitizer on Component Vinyl Oximino Silane (2224-33-1) Possible skin sensitizer

Section 12. Ecological Information

Fate and Effects in Waste Complete information is not yet available.

Water Treatment Plants

Environmental Effects Complete information is not yet available. Environmental Fate and Complete information is not yet available.

Distribution

Section 13. Disposal

Waste Disposal Method

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

Section 14. Transport Information

UN Number N/A
UN Proper Shipping Name N/A
DOT Classification N/A
Packing Group N/A

Air Shipment (IATA)

Ocean Shipment (IMDG)

Road Shipment

Not subject to IATA regulations.

Not subject to IMDG code.

Not subject to DOT regulations.

Information (DOT)

Section 15. Regulatory Information

California Proposition 65 This product contains the following chemical(s) listed by the State of California

under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None known

SARA Title III Section 313

Toxic Chemicals

None present or none present in regulated quantities.

SARA Title III Section 312

Hazard Class

Acute: Yes Chronic: No Fire: No Pressure: No Reactive: No

SARA Titre III Section 304

CERCLA Substances

dangereuses

ngereuses

SARA Title III Section 302 Extremely Hazardous

Substances

None

None

TSCA Status All chemical substances found in this product comply with the Toxic

Substances Control Act inventory reporting requirements.

Section 16. Other Information

Revision Date 7/18/2017

Disclaimer The data contained herein is based upon information that Soudal Accumetric

believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.