

# **Safety Data Sheet**

#### 5th Wheel Advanced Grease

#### Section 1. Identification

Product Identifier

5th Wheel Advanced Grease

Synonyms

56400

Manufacturer Stock

143566

**Numbers** 

Recommended use

Refer to Technical Information

Uses advised against

Refer to Technical Information

Manufacturer Contact
Address

Dynatex a division of Soudal

350 Ring Road

Elizabethtown, KY, 42701

**USA** 

Phone

(270) 769-3385

**Emergency Phone** 

(800) 424-9300

**CHEMTREC** 

Fax

(270) 769-6418

# Section 2. Hazards Identification

Classification

N/A

Signal Word

**Pictogram** 

**Hazard Statements** 

N/A

**Precautionary Statements** 

Response

N/A

Prevention

N/A

Storage

N/A

Disposal

N/A

Hazards not Otherwise Classified

Additional Information

This product do not contain any substance which at given concentration are considered hazardous to health.

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
64742-52-5	Severely Hydrotreated Heavy Naphthenic Petroleum Oil	50% - 90%

Occupational exposure limits, if available, are listed in Section 8.

### **Section 4. First-Aid Measures**

Description of first aid measures

General information:

Not expected to be health hazard if used under normal conditions

#### Inhalation:

Under normal conditions of intended use, this material is not expected to be inhalation hazard. If some symptom exists, remove to fresh air. If not breathing, give artificial respiration. Get medical attention

#### Skin Contact:

Remove contaminated clothes. Flush exposed area with plenty of water followed by washing by soap, if available. If persistent irritation occurs, obtain medical attention. If product is injected into or under the skin due to any reason, the victim, regardless of size or appearance of wound, victim should be brought immediately to medical attention for emergency surgical needs. Though the initial symptoms due to high pressure injection may be minimal / absent, early surgical treatment may significantly reduce the extent of injury.

#### Eye Contact:

Immediately flush with large quantities of cool water for at least 15 minutes including under eyelids. Keep eye wide open while rinsing. If symptoms persist get medical attention.

#### Ingestion:

Drink plenty of water. In general no treatment is necessary unless large quantities are swallowed; however, it's advisable to take medical attention. Do not induce vomiting unless directed by medical personnel. Do not give anything by mouth by an unconscious person.

No data available

Most important symptoms/effects (acute and delayed)

Notes to physician Treat symptomatically and supportively.

Self-protection for first aider When administering the first aid, ensure that you are wearing the appropriate

personal protective equipment according to the incident, injury and

surroundings.

### **Section 5. Fire Fighting Measures**

Suitable Extinguishing

Media

Water Spray (fog), dry chemical, foam, or carbon dioxide, sand to extinguish

flames.

Unsuitable Extinguishing

Media

Water stream may splash burning liquid and spread fire.

Special hazard arising from Hazardous combustion product may include a complex mixture of airborne solid the substances or mixture

and liquid particulates and gases (smoke), carbon monoxide, unidentified

inorganic and organic compounds.

Sensitivity to Mechanical Impact: None **Explosion Data** 

Sensitivity to Static Discharge: None

Proper protective equipment include chemical resistant gloves to be worn, Advice to firefighters

> chemical resistant suit is recommended when large contact with spill product is expected. Self-contained breathing apparatus (SCBA) must be worn when approaching a fire in confined area. Select the fire fighters clothing approved by relevant standard e.g., MSHA/NIOSH approved or equivalent and full protective

gear.

#### Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch and walk through spill area. Do not touch damaged container or spilled material unless wearing appropriate protective

clothing/equipment. Ventilate the closed area.

**Emergency procedures** 

Isolate the spill / leak area in all directions for about 50 meters (150 ft) for liquids and about 25 meters (75 ft.) for solids and semi-solids. Eliminate all ignition sources (no smoking, flares, sparks / flames in close vicinity). Keep unauthorize

person away and ventilate closed space before entering.

Environmental procedures Use appropriate measures for containment of spilled material to the environment. Prevent from entering/ spreading to drain, water, river, ditches by

using sand, earth, floor dryers or other appropriate barriers.

Methods and materials for containment and cleaning up

Shovel into suitable properly marked container for disposal or reclamation in

accordance with local regulations.

Reference to other

sections

Refer to section 8 – exposure control / personal protection and section 13-

disposal considerations

# Section 7. Handling and Storage

General Precautions

Store in well-ventilated area, if risk on vapor inhalation is there. Use the information in this data sheet as input for risk management arising due to local Precautions for safe handling

Conditions for safe

incompatibilities

Avoid prolonged and repeated contact with skin. Avoid inhaling the vapors/mist. When handling the drums, kegs, pails etc., proper safety shoes, and other protective clothes, safety glasses etc. should be worn. Dispose appropriately any contaminated rags/material as per prevailing local allowable practices.

conditions which help to manage safe handling of this product.

Keep containers in closely tight and, cool and well ventilated areas.

storage, including any

Keep containers tightly close, well-ventilated areas but covered, avoiding contact with rain or other water ingress possibilities. Keep the storage place cool preferably <120 °F / <50 °C. Higher temperature may create pressure buildup inside container and chances of container busting or leakage may occur under aggravated conditions. Keep away from other oxidizing and incompatible materials.

Incompatible Products: Strong oxidizing agents. Strong reducing agents

### Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL	
	Severely Hydrotreated Heavy Naphthenic Petroleum Oil	5 mg/m3 oil mist	5 mg/m3 oil mist	10 mg/m3 oil mist	
Personal Protective Equipment	Goggles, Gloves, Apron				
Engineering Measures	Showers Eyewash stations Ventilation systems				
Individual protection measures, such as personal protective equipment	Eye/Face Protection Safety glasses with side-shields. Risk of contact, wear: Chemical splash goggles.				
	Skin and Body Protection Impervious clothing. Protective gloves.				
	Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.				
	Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.				

# Section 9. Physical and Chemical Properties

**Environmental Exposure** 

controls

Pg. 4 of 8 Semi-solid Physical State

and disposal of waste as per local regulations

Minimize release to the environment. Follow best practices for site management

Color	Black		
Odor	Slight		
	hydrocarbon		
Odor Threshold	Data not		
	available		
Solubility	N/A		
Partition coefficient Water/n-octanol	N/A		
VOC%	N/A		
Viscosity	N/A		
Specific Gravity	0.87		
Density lbs/Gal	7.506		
Pounds per Cubic Foot	N/A		
Flash Point	495F 257C		
FP Method	N/A		
рН	Not		
	applicable		
Melting Point	N/A		
Boiling Point	No data		
	available		
Boiling Range	N/A		
LEL	N/A		
UEL	N/A		
Evaporation Rate	N/A		
Flammability	No data		
	available		
Decomposition Temperature	N/A		
Auto-ignition Temperature	No data		
	available		
Vapor Pressure	< 0.13 kPa (<		
	1 mm Hg)		
Vapor Density	< 1 (air=1)		

Note

The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

## Section 10. Stability and Reactivity

Reactivity No reactivity is expected under normal conditions of intended use. However,

under high temperature or adverse operating conditions thermal / chemical

decomposition of the product may be possible

**Chemical Stability** No hazardous reaction is expected under normal conditions of temperature and

pressure

Possibility of hazardous

reactions

None under normal processing

Hazardous Polymerization

Not likely to occur

Conditions to avoid Extreme temperature and direct sunlight / heat /flame Hazardous decomposition Carbon dioxides , Nitrogen oxides ( NOX) , Sulfur oxides

### **Section 11. Toxicological Information**

Information on Likely Routes of Exposure

products

Inhalation:

There is no data available for this product.

Eye Contact:

Causes serious eye irritation.

Skin Contact:

Causes mild skin irritation

Ingestion:

There is no data available for this product

Delayed and immediate effects

Sensitization

No information available.

Mutagenic

Effects No information available.

Carcinogenicity

The classification listed below for the petroleum distillates in this product pertains to those that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not meet that criteria to be classified as carcinogens.

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 – suspected human carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA: (Occupational Safety & Health Administration)

x- Present

Reproductive Toxicity:

No information available.

STOT - single exposure:

No information available.

STOT - repeated exposure:

No information available.

Aspiration Hazard:

No information available

# Section 12. Ecological Information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistance and degradation

No information available.

Bioaccumulation No information available.

Other adverse effects No information available

### Section 13. Disposal

Product disposal Try to minimize the product waste by using best applicable practices. It is the

responsibility of the waste generator to evaluate the waste classification and appropriate disposal methodology in accordance with the applicable regulation. Do not dispose in to environment, in drain or in river / ponds / water reservoirs.

Container disposal To be disposed in accordance with local prevailing and allowable regulations.

### Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Not regulated DOT Classification Not regulated Packing Group Not regulated

# Section 15. Regulatory Information

#### U.S. Federal Regulations

OSHA Hazard Communication Standard:

This material is not considered hazardous in accordance with OSHA HAzCom 2012, 29 CFR 1910.1200.

#### U.S. Federal Regulations

Section 313 of Title III, of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard: No Chronic Health Hazard: No

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactive Hazard; No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA:

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response

Pg. 7 of 8

Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). However, there may possibly be specific reporting requirements at the county, regional, or state level related to releases of this material.

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth or any other reproductive defects. For more information, go to www.P65Warnings.ca.gov

### **Section 16. Other Information**

**Revision Date** 

9/19/2018

Disclaimer

The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.