

Safety Data Sheet

BOSS® 355 General Purpose Latex Caulk

Section 1. Identification

Product Identifier BOSS® 355 General Purpose Latex Caulk

04459WH25 **Synonyms** Manufacturer Stock 04459WH25

Numbers

Recommended use Uses advised against Refer to Technical Information Refer to Technical Information

Manufacturer Contact

Address

Soudal Accumetric 350 Ring Road Elizabethtown, KY, 42701

USA

Phone

Emergency Phone (800) 424-9300 (270) 769-3385

CHEMTREC

Fax

(270) 765-2412

Section 2. Hazards Identification

Classification N/A

Signal Word

Pictogram

Hazard Statements N/A

Precautionary Statements

Response N/A Prevention N/A N/A Storage

Disposal N/A

General If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

Additional Information While this material is not considered hazardous by the OSHA Hazard

Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained

and available for employees and other users of this product.

Section 3. Ingredients

| CAS | Ingredient Name | Weight % |
|------------|--|----------|
| 64742-46-7 | Distillates (petroleum), hydrotreated middle | 1% - 5% |

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

No first aid should be needed. Ingestion

Inhalation Remove to fresh air. If symptoms persist, obtain appropriate medical attention.

Skin Contact Wash affected area with soap and water.

Eye Contact Rinse with water for 15 minutes. Obtain medical attention.

Section 5. Fire Fighting Measures

Suitable Extinguishing Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog

Media

Unsuitable Extinguishing None known

Media

Procedures

Flammability Limits in Air Lower: 0.9% by volume

Upper: 15.3% by volume

Special Fire Fighting

Non-flammable (aqueous emulsion). After water evaporates, remaining material

Unusual Fire or Explosion

will burn. Breathing apparatus required when fighting fires in enclosed areas. Product will not burn, but may splatter if temperature exceeds boiling point of

water. Dried solids can burn, giving off oxides of carbon. Hazards

Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Restrict area to only those personnel needed. Major spills should be collected for disposal. Minor spills may be flushed to sewer if permitted by state, federal and local regulations.

Section 7. Handling and Storage

Storage

Store in a cool dry place. Protect from freezing and excessive heat.

Handling

Avoid breathing vapors in top of shipping container. Keep container closed. Use with adequate ventilation. Avoid contact with skin and clothing. Wash throughly

after handling.

Section 8. Exposure Controls/Personal Protection

| Occupational Exposure Limits | Ingredient Name | ACGIH TLV | OSHA PEL | STEL |
|------------------------------|--|-----------|----------|----------|
| | Distillates (petroleum), hydrotreated middle | 5 mg/m3 | 5 mg/m3 | 10 mg/m3 |

Personal Protective

Equipment

Goggles, Gloves

Skin Protection

Impervious gloves are suggested.

Eye Protection

Safety goggles or glasses with side shields are recommended.

Respiratory protection

No respiratory protection should be needed with good local ventilation.

Ventilation

Local exhaust ventilation is recommended to maintain vapor level below TLV.

Section 9. Physical and Chemical Properties

| Physical State | Paste | | |
|---------------------------------------|---------------|--|--|
| Color | Refer to | | |
| | product label | | |
| Odor | Slight | | |
| Odor Threshold | N/A | | |
| Solubility | Dilutable in | | |
| | wet stage | | |
| Partition coefficient Water/n-octanol | N/A | | |
| VOC% | 8.6 g/L | | |
| Viscosity | 750,000 cPs | | |
| Specific Gravity | 1.72 | | |
| Density lbs/Gal | 14.3541 | | |
| Pounds per Cubic Foot | 107.37609 | | |
| Flash Point | Not | | |
| | determined | | |
| FP Method | N/A | | |
| рН | 8 | | |
| Melting Point | 0C | | |
| Boiling Point | 100C | | |

| Boiling Range | N/A | |
|---------------------------|--------------|--|
| LEL | N/A | |
| UEL | N/A | |
| Evaporation Rate | Slower than | |
| | n-Butyl | |
| | Acetate | |
| Flammability | N/A | |
| Decomposition Temperature | N/A | |
| Auto-ignition Temperature | N/A | |
| Vapor Pressure | Not | |
| | Determined | |
| Vapor Density | Lighter than | |
| | air | |

Note

The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

Section 10. Stability and Reactivity

Chemical Stability

Stable

Materials to Avoid /

None known

Incompatibility

Hazardous polymerization Will not occur

Section 11. Toxicological Information

Component Toxicology

No known applicable information.

Information

Special Hazard Information No known applicable information.

on Components

Section 12. Ecological Information

Fate and Effects in Waste Water Treatment Plants

Complete information is not yet available.

Environmental Effects

Complete information is not yet available.

Environmental Fate and

Complete information is not yet available.

Distribution

Section 13. Disposal

Waste Disposal Method

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the

requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Not regulated
DOT Classification Not regulated
Packing Group Not regulated

Air Shipment (IATA) Not subject to IATA regulations.

Ocean Shipment (IMDG) Not subject to IMDG code.

Section 15. Regulatory Information

TSCA Status All chemical substances found in this product comply with the Toxic Substances

Control Act inventory reporting requirements.

SARA Title III Section 302 None

Extremely Hazardous

Substances

SARA Title III Section 304

CERCLA Substances

dangereuses

SARA Title III Section 312

Hazard Class

Acute: Yes

None

Chronic: No Fire: No

Pressure: No Reactive: No

SARA Title III Section 313

Toxic Chemicals

California Prop 65

None present or none present in regulated quantities.

WARNING: This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects and other reproductive

harm. For more information, go to www.P65Warnings.ca.gov.

Section 16. Other Information

Revision Date 7/25/2018

Disclaimer

The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all possessary progrations to opsure the safety.

that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.