

Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet



Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

Issue date: 08/07/2023

Supersedes: 06/06/2018

Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Dynatex Pipe Sealant w/ PTFE
Reference number : 143466

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use
Use of the substance/mixture : Adhesive

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Soudal
350 Ring Road
Elizabethtown, KY 42701
(270) 769-3385
technical@soudalaccumetric.com -
www.SoudalUSA.com

1.4. Emergency telephone number

Emergency number : (800) 424-9300 CHEMTREC
24h/24h

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Classification

SKIN IRRITANT	Category 2
EYE IRRITANT	Category 2A
SKIN SENSITIZATION	Category 1
CARCINOGENICITY	Category 2
SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	Category 3 (Respiratory systems)
SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE	Category 2

Adverse physicochemical, human health and environmental effects

2.2. Label elements

Hazard pictograms (CLP) :



Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

Signal word (CLP)	: DANGER
Hazard statements (CLP)	: May cause allergic skin reaction. Causes skin irritation. May cause cancer. Causes serious eye irritation. Harmful if swallowed or inhaled. Causes skin irritation. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements (CLP)	: If medical advice is needed, have product container or label at hand. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/vapors/spray. Wear protective gloves. Wear eye protection/face protection. Wash thoroughly after handling. Do not eat, drink, smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. IF ON SKIN: Wash with plenty of soap and water. If in EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label) If SWALLOWED: Call a poison center/doctor if you feel unwell. If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse mouth. If on skin: Wash with plenty of water. Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep container tightly closed.
Disposal	Dispose of contents and container in accordance with all local, regional, national, and international regulations.
Extra phrases	:

2.3. Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Polyethylene glycol dimethacrylate	CAS-No: 25852-47-5	30 – 50
Polyethylene Glycol 200 Monooleate	CAS-No.: 9004-96-0	20 – 30
Titanium Dioxide	CAS-No.: 13463-67-7	1 – 5
α , α -dimethylbenzyl hydroperoxide	CAS-No.: 80-15-9	1 – 5
Cumene	CAS-No.: 98-82-8	0.1 – 1

Any concentration shown in a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in concentrations applicable, are classified as hazardous to health of the environment and hence require reporting in this section.

Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Treat according to person's condition and specifics of exposure.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult doctor in case of complaints. Seek medical treatment.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical attention. Wash clothing before reuse.
First-aid measures after eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
First-aid measures after ingestion	Call a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction. Irritation and redness.
Symptoms/effects after eye contact	: Causes serious eye irritation. Pain, irritation, watering, or redness.
Symptoms/effects after inhalation	: Breathing difficulties.
Symptoms/effects after ingestion:	: No known significant effect or critical hazards.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physicians:	Treat symptomatically. Contact poison control treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments:	No specific treatments.
Protection of first aiders:	No actions shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Water Spray Jet

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Nitrogen oxides (NO _x), Sulfur oxides
Unusual Fire and Explosion Hazards	: No specific fire or explosion hazard.

5.3. Advice for firefighters

Fire Fighting Procedures: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for firefighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	No action shall be taken involving any personal risk or without suitable training. Ensure adequate ventilation. Wear protective clothing.
----------------------	---

6.1.2. For emergency responders

Protective equipment	If specialized clothing is required to deal with the spillage, take note of any information in section 8 on suitable and unsuitable materials. See also the information in 6.1.1.
----------------------	---

Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

6.2. Environmental precautions

Avoid dispersal of spilled materials and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, oil, or air).

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| For containment | : Discharge into environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated water. |
| Methods for cleaning up | : Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus). |
| Other information | : Dispose of materials or solid residues via an authorized disposal contractor. |

6.4. Reference to other sections

For further information refer to section 7, 8, 11, 12, and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Keep away from heat and direct sunlight. Ensure good ventilation at the workplace. |
| Hygiene | : Eating drinking and smoking should be prohibited in areas where this material is handled, stroed, and processed. Workers should wash hands and face before eating, drinking, or smoking. See also section 8 for additional information on hygiene measures. |

Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well ventilated area, away from incompatible materials. Store away from oxidizing agents.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Cumene (98-82-8)	
Titanium Dioxide (13463-67-7)	
ACGIH TWA	10 mg/m ³
OSHA Z-1 TWA (total dust)	15 mg/m ³
OSHA P0 TWA (total)	10 mg/m ³
OSHA P0 TWA (total dust)	10 mg/m ³
Cumene (98-82-8)	
ACGIH TWA	5 ppm
NIOSH TWA	50 ppm; 245 mg/m ³
OSHA Z-1 TWA	50 ppm; 245 mg/m ³
OSHA P0 TWA	50 ppm; 245 mg/m ³
CAL PEL	50 ppm; 245 mg/m ³

8.1.2. Recommended monitoring procedures

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

8.1.3. Air contaminants formed

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure .

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Protective goggles

Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

8.2.2.2. Skin protection

Skin and body protection:

Protective clothing

Hand protection:

Protective gloves against chemicals

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: liquid
Color	: off-white
Odor	: characteristic
Odor threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: 1,000 cPs
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapor pressure	: Not available
Vapor pressure at 50 °C	: Not available
Density	: 1.1 g/cm ³
Relative density	: Not available
Relative vapor density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

9.2.2. Other safety characteristics

VOC content : 1% (11 g/L)

Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Contact with incompatible materials and exposure to extreme temperatures.

10.5. Incompatible materials

Oxidizing materials

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes

-dimethylbenzyl hydroperoxide (80-15-9)	
LD50 Oral – Rat	382 mg/kg
LC50 Inhalation – Rat	220 ppm, 4 hour vapor
LD50 Dermal – Rate	500 mg/kg
Cumene (98-82-8)	
LD50 oral – rat	1,400 mg/kg

Carcinogenicity : Not available
Teratogenicity : Not available
Mutagenicity : Not available
Reproductive Toxicity : Not available

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)	
LC50 Fish	493 mg/l (48 hour, static test)
dimethylbenzyl hydroperoxide (80-15-9)	

Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

LC50 Fish	3.9 mg/l (Oncorhynchus mykiss, 96 h, static test)
EC50	7 mg/l (Daphnia magna, 48 h, static test)
Cumene (98-82-8)	
LC50 Fish	2.7 mg/l (Oncorhynchus mykiss, 96 h, static test)
EC50	0.6 mg/l (Daphnia magna, 48 h, static test)
EC50	2.6 mg/l (Pseudokirchneriella subcapitata, 72 h, flow through test)

12.2. Persistence and Degradability

There is no data available.

12.3. Bioaccumulative Potential

There is no data available.

12.4. Mobility in Soil

Soil/Water Partition Coefficient K_{oc}

Not available

Other adverse effects:

No known significant effects or critical hazards

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

UN Number	Not regulated
UN Proper Shipping Name	Not applicable
DOT Classification	None
Packing Group	None
Environmental Hazards	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. US Federal Regulations

TSCA

All components of this product follow the inventory listing requirements of the US Toxic Substances and Control Act (TSCA) Chemical Substances Inventory.

Clean Water Act (CWA) 307:

Phosphodithioic acid, mixed O, O-bis(iso-Bu and pentyl) esters, zinc salts

Clean Water Act (CWA) 311:

Maleic Anhydride

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPS)

DEA List I chemicals (precursor chemicals):

DEA List II Chemicals (essential chemicals):

SARA 302/304:

SARA 304 RQ:

cumene (98-82-8)

not listed

not listed

no products were found

not applicable

Dynatex Pipe Sealant w/ PTFE

Safety Data Sheet

SARA 311/312:

Classification

Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313

Form R – Reporting requirements

1,2-benzisothiazol-3(2H)-one 1,1-dioxide (81-07-2)
 α , α -dimethylbenzyl hydroperoxide (80-15-9)
cumene (98-82-8)

15.1.1. US State Regulations

California Prop 65

WARNING: This product can expose you to chemicals including cumene, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca/gov

SECTION 16: Other information

Indication of changes

Updated to new style.

Disclaimer: The data contained herein is based upon information that Soudal believes to be reliable. Users of this product have the responsibility to determine suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.