

# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet



# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

Issue date: 05/24/2024 Revision date: 05/24/2024 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : T-Rex Grab Heavy Duty

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use/Professional use  
Use of the substance/mixture : adhesives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Soudal  
350 Ring Road  
Elizabethtown, KY 42701  
Phone: (270) 769-3385  
[Technical@soudalaccumetric.com](mailto:Technical@soudalaccumetric.com)  
[www.SoudalUSA.com](http://www.SoudalUSA.com)

#### 1.4. Emergency telephone number

ChemTrec: (800) 424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture


|  |      |
|--|------|
| Flammable liquids, Category 2  | H225 |
| Skin corrosion/irritation, Category 2                                  | H315 |
| Skin sensitization, Category 1   | H317 |
| Specific target organ toxicity – Single exposure, Category 3, Narcosis | H336 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 3      | H412 |

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapor. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

Hazard pictograms (CLP)



# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

|                          |  |
|--------------------------|--|
| Signal word              | : Danger   |
| Contains                 | : rosin; hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane  |
| Hazard statements        | : H225 - Highly flammable liquid and vapour.<br>H315 - Causes skin irritation.<br>H317 - May cause an allergic skin reaction.<br>H336 - May cause drowsiness or dizziness.<br>H412 - Harmful to aquatic life with long lasting effects.  |
| Precautionary statements | : P101 - If medical advice is needed, have product container or label at hand.<br>P102 - Keep out of reach of children.<br>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.<br>No smoking.<br>P261 - Avoid breathing vapours.<br>P271 - Use only outdoors or in a well-ventilated area.<br>P280 - Wear protective gloves, protective clothing/eye protection/face protection.<br>P405 - Store locked up.<br>P501 - Dispose of contents, container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |

### 2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                       | Product identifier  | %           | Classification   |
|----------------------------|---------------------|-------------|--|
| Hydrotreated Light Naphtha | CAS-No.: 64742-49-0 | ≥ 10 – < 25 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>Asp. Tox. 1, H304<br>STOT SE 3, H336<br>Aquatic Chronic 2, H411 |
| rosin                      | CAS-No.: 8050-09-7  | ≥ 5 – < 10  | Skin Sens. 1, H317   |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Call a poison center or a doctor if you feel unwell.   |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.   |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects                    | : May cause drowsiness or dizziness.               |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |

### 4.3. Indication of any immediate medical attention and special treatment needed

# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Unsuitable extinguishing media : high volume water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing vapours, spray, mist. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing vapours, spray, mist. Avoid contact with skin and eyes.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

|                        |  |
|------------------------|--|
| Technical measures     | : Ground/bond container and receiving equipment.   |
| Storage conditions     | : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. |
| Maximum storage period | : 1 year   |
| Packaging materials    | : Tin.   |

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

**Personal protective equipment symbol(s):**



##### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses

##### 8.2.2.2. Skin protection

**Skin and body protection:**

Protective clothing

**Hand protection:**

Protective gloves against chemicals

##### 8.2.2.3. Respiratory protection

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment.

##### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

|   |                                    |
|---|------------------------------------|
| Physical state                                  | : Liquid                           |
| Color   | : Beige                            |
| Appearance                                      | : Viscous liquid.                  |
| Odor  | : characteristic.                  |
| Odor threshold                                  | : Not available                    |
| Melting point                                   | : Not applicable                   |
| Freezing point                                  | : Not available                    |
| Boiling point                                   | : > 35 °C                          |
| Flammability                                    | : Not applicable                   |
| Lower explosion limit                           | : Not available                    |
| Upper explosion limit                           | : Not available                    |
| Flash point                                     | : < 23 °C                          |
| Auto-ignition temperature                       | : Not available                    |
| Decomposition temperature                       | : Not available                    |
| pH  | : Not available                    |
| Viscosity, kinematic                            | : > 20.5 mm <sup>2</sup> /s (40°C) |
| Solubility                                      | : Not available                    |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                    |
| Vapor pressure                                  | : Not available                    |
| Vapor pressure at 50°C                          | : Not available                    |
| Density   | : 1.3 g/cm <sup>3</sup> (20°C)     |
| Relative density                                | : 1.3 (20°C)                       |
| Relative vapor density at 20°C                  | : Not available                    |
| Particle characteristics                        | : Not applicable                   |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 22.75 % (295.75 g/l)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable liquid and vapor.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### rosin (8050-09-7)

|                 |  |
|-----------------|--|
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|-----------------|--|

#### Hydrotreated light naphtha (64742-49-0)

|                 |  |
|-----------------|--|
| LD50 dermal rat | 2800 – 3100 mg/kg bodyweight Animal: rat |
|-----------------|--|

|                       |                             |
|-----------------------|-----------------------------|
| LC50 Inhalation - Rat | > 25,2 mg/l air Animal: rat |
|-----------------------|-----------------------------|

Skin corrosion/irritation : Causes skin irritation.  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : May cause drowsiness or dizziness.

#### Hydrotreated light naphtha (64742-49-0)

|                      |                                    |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |
|----------------------|------------------------------------|

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

#### T-Rex Grab Heavy Duty Adhesive

|                      |                                  |
|----------------------|----------------------------------|
| Viscosity, kinematic | > 20,5 mm <sup>2</sup> /s (40°C) |
|----------------------|----------------------------------|

#### Hydrotreated light naphtha (64742-49-0)

|                      |   |
|----------------------|---|
| Viscosity, kinematic | 0,7 mm <sup>2</sup> /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)' |
|----------------------|---|

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.  
Not rapidly degradable

### rosin (8050-09-7)

|                 |   |
|-----------------|---|
| LC50 - Fish [1] | 5,4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
|-----------------|---|

### Hydrotreated light naphtha (64742-49-0)

|                |  |
|----------------|--|
| LOEC (chronic) | 0,32 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 0,17 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### T-Rex Grab Heavy Duty Adhesive

The product does not meet the PBT and vPvB classification criteria

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Sewage disposal recommendations : Do not discharge into drains or the environment.

Additional information : Flammable vapors may accumulate in the container.

Ecological information : Avoid release to the environment.






# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                   | IMDG                                  | IATA                      | ADN                       | RID                       |
|---------------------------------------|---------------------------------------|---------------------------|---------------------------|---------------------------|
| <b>14.1. UN number or ID number</b>   |                                       |                           |                           |                           |
| UN 1133                               | UN 1133                               | UN 1133                   | UN 1133                   | UN 1133                   |
| <b>14.2. UN proper shipping name</b>  |                                       |                           |                           |                           |
| ADHESIVES                             | ADHESIVES                             | Adhesives                 | ADHESIVES                 | ADHESIVES                 |
| <b>Transport document description</b> |                                       |                           |                           |                           |
| UN 1133 ADHESIVES, 3, III, (E)        | UN 1133 ADHESIVES, 3, III (23°C c.c.) | UN 1133 Adhesives, 3, III | UN 1133 ADHESIVES, 3, III | UN 1133 ADHESIVES, 3, III |

| ADR  | IMDG   | IATA   | ADN  | RID  |
|--|--|--|--|--|
| <b>14.3. Transport hazard class(es)</b>  |  |  |  |  |
| 3  | 3  | 3  | 3  | 3  |
|  |  |  |  |  |
| <b>14.4. Packing group</b>   |  |  |  |  |
| III  | III  | III  | III  | III  |
| <b>14.5. Environmental hazards</b>   |  |  |  |  |
| Dangerous for the environment: No  | Dangerous for the environment: No<br>Marine pollutant: No                          | Dangerous for the environment: No  | Dangerous for the environment: No  | Dangerous for the environment: No  |
| No supplementary information available   |  |  |  |  |

### 14.6. Special precautions for user

Special transport precautions

ADHESIVES containing flammable liquid (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C not more than 110 kPa)

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. US Federal Regulations

###### TSCA

All components of this product follow the inventory listing requirements of the US Toxic Substances and Control Act (TSCA) Chemical Substances Inventory.

SARA 311 and 312: No SARA hazards.



# T-Rex Grab Heavy Duty Adhesive

## Safety Data Sheet

SARA 313: This material does not contain any chemicals with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### 15.1.2. US State Regulations

#### Pennsylvania Right to Know

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane  
Rosin

64742-49-0  
8050-09-07

#### Massachusetts Right to Know

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

64742-49-0

#### New Jersey Right to Know

Rosin

8050-09-07

#### California Prop 65:

WARNING: This product can expose you to n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16: Other information

Disclaimer: The data contained herein is based upon information that Soudal believes to be reliable. Users of this product have the responsibility to determine the suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.